## **Symbols and Units of Measure**

°C degree centigrade °F degree Fahrenheit

 $\sigma$  sigma

aCi attocurie  $(10^{-18} \text{ Ci})$   $\mu$ Bq microbecquerel  $(10^{-6} \text{ Bq})$   $\mu$ g/g microgram per gram  $(10^{-6} \text{ g/g})$  $\mu$ g/L microgram per liter  $(10^{-6} \text{ g/L})$ 

 $\mu g/m^3$  microgram per cubic meter (10<sup>-6</sup> g/m<sup>3</sup>)

 $\mu$ rem microrem (10<sup>-6</sup> rem)  $\mu$ Sv/y microsievert per year

Bq becquerel (See also definition in **Key Terms** section.)

Bq/g becquerel per gram
Bq/kg becquerel per kilogram
Bq/L becquerel per liter
Bq/m1 becquerel per cubic meter
Bq/m2 becquerel per milliliter

Ci curie (See also definition in **Key Terms** section.)

cm centimeter

ft foot
g gram
gal gallon
gal/d gallon per day
gal/min gallon per minute
GBq gigabecquerel (10<sup>9</sup> Bq)

in. inch

keV kiloelectronvolt (10<sup>3</sup> eV) (See also definition of "electronvolt" in **Key Terms** section.)

kg kilogram (10<sup>3</sup> g)

kg/d kilogram per day (10<sup>3</sup> g/d)

km kilometer (10<sup>3</sup> m)

L liter

L/d liter per day
L/y liter per year

m meter

mBq millibecquerel (10<sup>-3</sup> Bq)

mBq/g millibecquerel per gram  $(10^{-3} \text{ Bq/g})$ mBq/dry g millibecquerel per dry gram  $(10^{-3} \text{ Bq/dry g})$ mBq/m³ millibecquerel per cubic meter  $(10^{-3} \text{ Bq/m}^3)$ 

mCi millicurie ( $10^{-3}$  Ci) mg/L milligram/liter ( $10^{-3}$  g/L)

mi mile

mph mile per hour

mR milliroentgen (10<sup>-3</sup> R) (See also definition of "roentgen" in **Key Terms** section.)

mrem millirem (10<sup>-3</sup> rem) (See also definition of "rem" in **Key Terms** section.)

mrem/y millirem per year  $(10^{-3} \text{ rem/y})$ 

m/s meter per second mSv millisievert ( $10^{-3}$  Sv)

mSv/y millisievert per year  $(10^{-3} \text{ Sv/y})$ 

MT metric ton

nBq nanobecquerel (10<sup>-9</sup> Bq) nSv nanosievert (10<sup>-9</sup> Sv)

nSv/y nanosievert per year (10<sup>-9</sup> Sv/y)

pCi picocurie (10<sup>-12</sup> Ci)

pCi/g picocurie per gram (10<sup>-12</sup> Ci/g)
pCi/dry g picocurie per dry gram (10<sup>-12</sup> Ci/dry g)
pCi/L picocurie per liter (10<sup>-12</sup> Ci/liter)

person-Sv person-sievert (See also definition in Key Terms section.)

person-Sv/y person-sievert/year

pg/L picogram per liter  $(10^{-12} \text{ g/L})$ 

pg/m<sup>3</sup> picogram per cubic meter  $(10^{-12} \text{ g/m}^3)$ 

Sv sievert (See also definition in **Key Terms** section.)

TBq terabecquerel (10<sup>12</sup> Bq)

### **Acronyms and Abbreviations**

%RSD Percent relative standard deviation

ACCDA Alameda County Community Development Agency
ACDEH Alameda County Department of Environmental Health

ACHP Advisory Council on Historic Preservation

ACOE Army Corps of Engineers
AFV alternative fuel vehicle

ALARA as low as reasonably achievable

APHIS Animal and Plant Health Inspection Service

ATSDR Agency for Toxic Substances and Disease Registry

BAAQMD Bay Area Air Quality Management District (See also definition in **Key Terms** section.)

BCG Biota Concentration Guide
BGS Below Ground Surface
BO biological opinion

BSA Blanket Service Agreement

BSL Biosafety Level CAA Clean Air Act

CalARP California Accidental Release Prevention

CAMP Corrective Action Monitoring Plan
CAMU Corrective Action Management Unit
CARB California Air Resources Board
CCR California Code of Regulations
CDC Centers for Disease Control

CDFG California Department of Fish and Game
CEI Compliance Evaluation Inspection

CERCLA Comprehensive Environmental Response, Compensation and Liability Act of 1980 (See also

definition in **Key Terms** section.)

CFF Contained Firing Facility
CFR Code of Federal Regulations

CMWMA California Medical Waste Management Act

CNPS California Native Plant Society

CO carbon monoxide
COC constituent of concern

COD chemical oxygen demand CSA container storage area

CUPA Certified Unified Program Agencies

CVRWQCB Central Valley Regional Water Quality Control Board (See also definition in Key Terms section.)

CWA (Federal) Clean Water Act
CWG Community Working Group

DCS Derived Concentration Technical Standard

DMP Detection Monitoring Plan
DMT Data Management Team

DOE (U.S.) Department of Energy (See also definition in Key Terms section.)

DOECAP (U.S.) Department of Energy Consolidated Auditing Program

DOT (U.S.) Department of Transportation

DPH Department of Public Health

DPR (California) Department of Pesticide Regulation

DRB Drainage Retention Basin

DTSC (California Environmental Protection Agency) Department of Toxic Substances Control

DWTF Decontamination and Waste Treatment Facility
E85 Vehicle fuel, 85% ethanol and 15% gasoline

EA environmental assessment

EDE effective dose equivalent (See also definition in Key Terms section.)

EDO Environmental Duty Officer
EFA Environmental Functional Area
EIS environmental impact statement

ELAP Environmental Laboratory Accreditation Program

EMP Environmental Management Plan
EMS Environmental Management System

EPA Environmental Protection Agency (See also definition in **Key Terms** section.)

EPCRA Emergency Planning and Community Right-to-Know Act of 1986 (See also definition in Key

Terms section.)

EPD (LLNL) Environmental Protection Department
EPEAT Electronic Product Environmental Assessment Tool

EPL effluent pollutant limit

EPP Environmentally Preferable Purchasing

ERD (LLNL) Environmental Restoration Department

ERP Environmental Restoration Project ES&H Environment, Safety, and Health

ESA Endangered Species Act

ESAR Enhanced Source Area Remediation
EWSF Explosives Waste Storage Facility
EWTF Explosives Waste Treatment Facility

FFA Federal Facility Agreement (See also definition in **Key Terms** section.)

FFCA Federal Facilities Compliance Act

FIFRA Federal Insecticide, Fungicide, and Rodenticide Act
FY fiscal year (See also definition in **Key Terms** section.)

GHG greenhouse gases
GPS global positioning system

GPs Guiding principles

GSA (U.S.) General Services Administration

GSF Gross square feet

GWP (Livermore site) Ground Water Project

HAP hazardous air pollutant

HHRA Human health risk assessment

HPGe high-purity germanium
HSU hydrostratigraphic unit
HT/TT tritiated hydrogen gas

HTO/TTO tritiated water or tritiated water vapor

HWCL Hazardous Waste Control Law (See also definition in **Key Terms** section.)

ICRP International Commission on Radiological Protection IEEE Institute of Electrical and Electronics Engineers

ILA industrial, landscaping, and agricultural

IQR Interguartile range (See also definition in **Key Terms** section.)

ISMS Integrated Safety Management System
ISO International Organization for Standardization

ITS Institutional Tracking System

LEED Leadership in Energy and Environmental Design

LEED-EB Leadership in Energy and Environmental Design for Existing Buildings

LEPC Local Emergency Planning Committee

LLNL Lawrence Livermore National Laboratory

LLNS Lawrence Livermore National Security, LLC

LLW Low Level Waste

LWRP Livermore Water Reclamation Plant

MAPEP Mixed Analyte Performance Evaluation Program

MARLAP Multi-Agency Radiological Laboratory Analytical Protocols

MCL maximum contaminant level (See also definition in Key Terms section.)

MDC minimum detectable concentration

MOVIs Management, Observation, Verification and Inspections

MRP Monitoring and Reporting Program
MSAs Management Self Assessments
MSDS material safety data sheet

NCRP National Council on Radiation Protection and Measurements
NELAP National Environmental Laboratory Accreditation Program

NEPA National Environmental Policy Act (See also definition in **Key Terms** section.)

NESHAPs National Emissions Standards for Hazardous Air Pollutants

NHPA National Historic Preservation Act

NIF National Ignition Facility

NNSA National Nuclear Security Administration

NOx nitrous oxides

NPDES National Pollutant Discharge Elimination System (See also definition in Key Terms section.)

NRHP National Register of Historic Places

OBT organically bound tritium
ODS ozone depleting substance
ORNL Oak Ridge National Laboratory

OU operable unit

P2S pollution prevention/sustainability

PA Programmatic Agreement
PEP Performance Evaluation Plan
PCB polychlorinated biphenyl

PCE perchloroethylene (or perchloroethene); also called tetrachloroethylene or tetrachloroethene

PM-10 particulate matter with diameter equal to or less than 10 micrometer

POCs Precursor organic compounds (See also definition in **Key Terms** section.)

PPMRP Pollution Prevention and Monitoring and Reporting Program

PQL practical quantitation limit (See also definition in **Key Terms** section.)

PRAD (LLNL) Permits and Regulatory Affairs Division

PUE Power Utilization Effectiveness

QA quality assurance (See also definition in **Key Terms** section.)

QC quality control (See also definition in **Key Terms** section.)

RCRA Resource Conservation and Recovery Act of 1976 (See also definition in **Key Terms** section.)

REC Renewable Energy Credit

RHWM (LLNL) Radioactive and Hazardous Waste Management Division

RL reporting limit

RMP risk management plan ROD Record of Decision

ROGs reactive organic gases (See also definition in Key Terms section.)

RPM Remedial Project Managers

RWQCB Regional Water Quality Control Board (See also definition in Key Terms section.)

SARA Superfund Amendment and Reauthorization Act of 1986 (See also definition in Key Terms

section.)

SDWA Safe Drinking Water Act

SERC State Emergency Response Commission

SFBRWQCB San Francisco Bay Regional Water Quality Control Board (See also definition in Key Terms

section.)

SFTF Small Firearms Training Facility
SHPO State Historic Preservation Officer

SI Système International d'Unités (See also definition in Key Terms section.)

SJCEHD San Joaquin County Environmental Health Department (See also definition in Key Terms

section.)

SJCOES San Joaquin County, Office of Emergency Services

SJVAPCD San Joaquin Valley Air Pollution Control District (See also definition in **Key Terms** section.)

SMOP Synthetic Minor Operating Permit SMS (LLNL) Sewer Monitoring Station

SOx sulphur oxides

SPCC Spill Prevention Control and Countermeasure

STP Site Treatment Plan

SW-MEI site-wide maximally exposed individual member (of the public) (See also definition in Key

Terms section.)

SWPPP Storm Water Pollution Prevention Plan SWRCB State Water Resources Control Board

TAG Technical Assistance Grant

TBOS/TKEBS tetrabutyl orthosilicate/tetrakis 2-ethylbutyl silane

TCE trichloroethene (or trichloroethylene)

TEF toxicity equivalency factor
TEQ toxicity equivalency
TF treatment facility

TLD thermoluminescent dosimeter (See also definition in **Key Terms** section.)

TNI The NELAC Institure
TRI Toxics Release Inventory

Tri-Valley CAREs Tri-Valley Communities Against a Radioactive Environment
TRU transuranic (waste) (See also definition in **Key Terms** section.)

TSCA Toxic Substances Control Act
TSF Terascale Simulation Facility

TSS total suspended solids (See also definition in **Key Terms** section.)

TTO total toxic organic (compounds)
UCD under dispenser containment
USGBC U.S. Green Building Council
USFWS U.S. Fish and Wildlife Service

VOC volatile organic compound (See also definition in Key Terms section.)

VTF vapor treatment facility

WAA waste accumulation area (See also definition in **Key Terms** section.)

WDAR Waste Discharge Authorization Requirement

WDR Waste Discharge Requirement

WRD Water Resources Division (See also definition in **Key Terms** section.)

**Metric and U.S. Customary Unit Equivalents** 

	From metric unit to U.S. customary equivalent unit		From U.S. customary unit to metric equivalent unit		
Category	Metric	U.S.	U.S.	Metric	
Length	1 centimeter (cm)	0.39 inches (in.)	1 inch (in.)	2.54 centimeters (cm)	
	1 millimeter (mm)	0.039 inches (in.)		25.4 millimeters (mm)	
	1 meter (m)	3.28 feet (ft)	1 foot (ft)	0.3048 meters (m)	
		1.09 yards (yd)	1 yard (yd)	0.9144 meters (m)	
	1 kilometer (km)	0.62 miles (mi)	1 mile (mi)	1.6093 kilometers (km)	
Volume	1 liter (L)	0.26 gallons (gal)	1 gallon (gal)	3.7853 liters (L)	
		$8.11 \times 10^{-7}$ acre-feet	1 acre-foot	$1.23 \times 10^6$ liters (L)	
	1 cubic meter (m <sup>3</sup> )	35.32 cubic feet (ft <sup>3</sup> )	1 cubic foot (ft <sup>3</sup> )	0.028 cubic meters (m <sup>3</sup> )	
		1.35 cubic yards (yd <sup>3</sup> )	1 cubic yard (yd <sup>3</sup> )	0.765 cubic meters (m <sup>3</sup> )	
Weight	1 gram (g)	0.035 ounces (oz)	1 ounce (oz)	28.6 gram (g)	
	1 kilogram (kg)	2.21 pounds (lb)	1 pound (lb)	0.373 kilograms (kg)	
	1 metric ton (MT)	1.10 short ton (2000 pounds)	1 short ton (2000 pounds)	0.90718 metric ton (MT)	
Area	1 hectare (ha)	2.47 acres	1 acre	0.40 hectares (ha)	
Radioactivity	1 becquerel (Bq)	2.7 x 10 <sup>-11</sup> curie (Ci)	1 curie (Ci)	3.7 x 10 <sup>10</sup> becquerel (Bq)	
Radiation dose	1 gray (Gy)	100 rad	1 rad	0.01 gray (Gy)	
Radiation dose equivalent	1 sievert (Sv)	100 rem	1 rem	0.01 sievert (Sv)	
Temperature	°Fahrenheit = (°Cen	tigrade x 1.8) + 32	°Centigrade = (°Fahrenhe	it – 32) / 1.8	

# **Multipying Prefixes**

Symbol	Prefix	Factor	Symbol	Prefix	Factor
٧	vendeko	10 <sup>-30</sup>	da	deca	10 <sup>1</sup>
х	xenno	10 <sup>-27</sup>	h	hecto	10 <sup>2</sup>
у	yocto	10 <sup>-24</sup>	k	kilo	10 <sup>3</sup>
Z	zepto	10 <sup>-21</sup>	M	mega	10 <sup>6</sup>
а	atto	10 <sup>-18</sup>	G	giga	10 <sup>9</sup>
f	femto	10 <sup>-15</sup>	Т	tera	10 <sup>12</sup>
р	pico	10 <sup>-12</sup>	Р	peta	10 <sup>15</sup>
n	nano	10 <sup>-9</sup>	E	exa	10 <sup>18</sup>
μ	micro	10 <sup>-6</sup>	Z	zetta	10 <sup>21</sup>
m	milli	10 <sup>-3</sup>	Y	yotta	10 <sup>24</sup>
С	centi	10 <sup>-2</sup>			
d	deci	10 <sup>-1</sup>			
	•				

### **Key Terms**

- **Absorbed dose.** Amount of energy imparted to matter by ionizing radiation per unit mass of irradiated material, in which the absorbed dose is expressed in units of rad or gray (1 rad = 0.01 gray).
- Accuracy. Closeness of the result of a measurement to the true value of the quantity measured.
- Action level. Defined by regulatory agencies, the level of pollutants which, if exceeded, requires regulatory action.
- Alluvium. Sediment deposited by flowing water.
- **Alpha particle.** Positively charged particle emitted from the nucleus of an atom, having mass and charge equal to those of a helium nucleus (two protons and two neutrons).
- **Ambient air.** Surrounding atmosphere, usually the outside air, as it exists around people, plants, and structures; for monitoring purposes, it does not include air immediately adjacent to emission sources.
- **Analyte.** Specific component measured in a chemical analysis.
- **Aquifer.** Saturated layer of rock or soil below the ground surface that can supply usable quantities of groundwater to wells and springs, and be a source of water for domestic, agricultural, and industrial uses.
- Bay Area Air Quality Management District (BAAQMD). Local agency responsible for regulating stationary air emission sources (including the LLNL Livermore site) in the San Francisco Bay Area.
- **Becquerel (Bq).** SI unit of activity of a radionuclide, equal to the activity of a radionuclide having one spontaneous nuclear transition per second.
- **Beta particle.** Negatively charged particle emitted from the nucleus of an atom, having charge, mass, and other properties of an electron.
- Categorical discharge. Discharge from a process regulated by EPA rules for specific industrial categories.
- **Central Valley Regional Water Quality Control Board (CVRWQCB).** Local agency responsible for regulating ground and surface water quality in the Central Valley.
- Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA). Administered by EPA, this federal law, also known as Superfund, requires private parties to notify the EPA of conditions that threaten to release hazardous substances or after the release of hazardous substances, and undertake short-term removal and long-term remediation.
- **Cosmic radiation.** Radiation with very high energies originating outside the earth's atmosphere; it is one source contributing to natural background radiation.
- **Curie (Ci).** Unit of measurement of radioactivity, defined as the amount of radioactive material in which the decay rate is  $3.7 \times 10^{10}$  disintegrations per second or  $2.22 \times 10^{12}$  disintegrations per minute; one Ci is approximately equal to the decay rate of 1 gram of pure radium.
- **Depleted uranium.** Uranium having a lower proportion of the isotope uranium-238 than is found in naturally occurring uranium. The masses of the three uranium isotopes with atomic weights 238, 235, and 234 occur in depleted uranium in the weight-percentages 99.8, 0.2, and  $5 \times 10^{-4}$ , respectively. Depleted uranium is sometimes referred to as D-38 or DU.
- **Derived concentration technical guide (DCS).** Concentrations of radionuclides in water and air that could be continuously consumed or inhaled for one year and not exceed the DOE primary radiation standard to the public (100 mrem/y EDE).
- **Dose.** Energy imparted to matter by ionizing radiation; the unit of absorbed dose is the rad, equal to 0.01 joules per kilogram for irradiated material in any medium.
- **Dose equivalent.** Product of absorbed dose in rad (or gray) in tissue and a quality factor representing the relative damage caused to living tissue by different kinds of radiation, and perhaps other modifying factors representing the distribution of radiation, etc. expressed in units of rem or sievert (1 rem = 0.01 sievert).
- Dosimeter. Portable detection device for measuring the total accumulated exposure to ionizing radiation.
- Downgradient. In the direction of groundwater flow from a designated area; analogous to downstream.
- **Effective dose equivalent (EDE).** Estimate of the total risk of potential effects from radiation exposure, it is the summation of the products of the dose equivalent and weighting factor for each tissue. The weighting factor is the

decimal fraction of the risk arising from irradiation of a selected tissue to the total risk when the whole body is irradiated uniformly to the same dose equivalent. These factors permit dose equivalents from nonuniform exposure of the body to be expressed in terms of an effective dose equivalent that is numerically equal to the dose from a uniform exposure of the whole body that entails the same risk as the internal exposure (ICRP 1980). The effective dose equivalent includes the committed effective dose equivalent from internal deposition of radionuclides and the effective dose equivalent caused by penetrating radiation from sources external to the body, and is expressed in units of rem (or sievert).

Effluent. Liquid or gaseous waste discharged to the environment.

**Electronvolt (eV).** A unit of energy equal to the amount of kinetic energy gained by an electron when it passes through a potential difference of 1 volt in a vacuum.

**Emergency Planning and Community Right-to-Know Act of 1986 (EPCRA).** Act that requires facilities that produce, use, or store hazardous substances to report releases of reportable quantities or hazardous substances to the environment.

**Environmental impact statement (EIS).** Detailed report, required by the National Environmental Policy Act, on the environmental impacts from a federally approved or funded project. An EIS must be prepared by a federal agency when a "major" federal action that will have "significant" environmental impacts is planned.

**Federal facility.** Facility that is owned or operated by the federal government, subject to the same requirements as other responsible parties when placed on the Superfund National Priorities List.

**Federal facility agreement (FFA).** Negotiated agreement that specifies required actions at a federal facility as agreed upon by various agencies (e.g., EPA, RWQCB, DOE).

Fiscal year (FY). LLNL's fiscal year is from October 1 through September 30.

Freon-11. Trichlorofluoromethane.

Freon-113. 1,1,2-trichloro-1,2,2-trifluoroethane; also known as CFC 113.

**Gamma ray.** High-energy, short-wavelength, electromagnetic radiation emitted from the nucleus of an atom, frequently accompanying the emission of alpha or beta particles.

Groundwater. All subsurface water.

**Hazardous waste.** Waste that exhibits ignitability, corrosivity, reactivity, and/or EP-toxicity (yielding toxic constituents in a leaching test), and waste that does not exhibit these characteristics but has been determined to be hazardous by EPA. Although the legal definition of hazardous waste is complex, according to EPA the term generally refers to any waste that, if managed improperly, could pose a threat to human health and the environment.

(California) Hazardous Waste Control Law (HWCL). Legislation specifying requirements for hazardous waste management in California.

Hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX). High-explosive compound.

**Inorganic compounds.** Compounds that either do not contain carbon or do not contain hydrogen along with carbon, including metals, salts, and various carbon oxides (e.g., carbon monoxide and carbon dioxide).

**International Commission on Radiological Protection (ICRP).** International organization that studies radiation, including its measurement and effects.

**Interquartile range (IQR).** Distance between the top of the lower quartile and the bottom of the upper quartile, which provides a measure of the spread of data.

Isotopes. Forms of an element having the same number of protons in their nuclei, but differing numbers of neutrons.

**Lake Haussmann.** Man-made, lined pond used to capture storm water runoff and treated water at the Livermore site. Formerly called Drainage Retention Basin (DRB).

**Less than detection limits.** Phrase indicating that a chemical constituent was either not present in a sample, or is present in such a small concentration that it cannot be measured by a laboratory's analytical procedure, and therefore is not identified or not quantified at the lowest level of sensitivity.

**Livermore Water Reclamation Plant (LWRP).** City of Livermore's municipal wastewater treatment plant, which accepts discharges from the LLNL Livermore site.

- **Low-level waste.** Waste defined by DOE Order 5820.2A, which contains transuranic nuclide concentrations less than 100 nCi/g.
- **Maximum contaminant level (MCL).** Highest level of a contaminant in drinking water that is allowed by the U.S. Environmental Protection Agency or California Department of Health Services.
- **Metric units.** Except for temperature for which specific equations apply, U.S. customary units can be determined from metric units by multiplying the metric units by the U.S. customary equivalent. Similarly, metric units can be determined from U.S. customary equivalent units by multiplying the U.S. customary units by the metric equivalent. (See also **Metric and U.S. Customary Unit Equivalents** table in this Glossary.)
- Mixed waste. Waste that has the properties of both hazardous and radioactive waste.
- National Environmental Policy Act (NEPA). Federal legislation enacted in 1969 that requires all federal agencies to document and consider environmental impacts for federally funded or approved projects and the legislation under which DOE is responsible for NEPA compliance at LLNL.
- **National Pollutant Discharge Elimination System (NPDES).** Federal regulation under the Clean Water Act that requires permits for discharges into surface waterways.
- **Nuclear Regulatory Commission (NRC).** Federal agency charged with oversight of nuclear power and nuclear machinery and applications not regulated by DOE or the Department of Defense.
- **Nuclide.** Species of atom characterized by the constitution of its nucleus. The nuclear constitution is specified by the number of protons, number of neutrons, and energy content; or, alternatively, by the atomic number, mass number, and atomic mass. To be regarded as a distinct nuclide, the atom must be capable of existing for a measurable length of time.
- **Part B permit.** Second, narrative section submitted by generators in the RCRA permitting process that covers in detail the procedures followed at a facility to protect human health and the environment.
- Perched aquifer. Aquifer that is separated from another water-bearing stratum by an impermeable layer.
- **Person-Sievert (person-Sv).** The product of the average dose per person times the number of people exposed. 1 person-Sv = 100 person-rem.
- **pH.** Measure of hydrogen ion concentration in an aqueous solution. The pH scale ranges from 0 to 14. Acidic solutions have a pH less than 7; basic solutions have a pH greater than 7; and neutral solutions have a pH of 7.
- **Pliocene.** Geological epoch of the Tertiary period, starting about 12 million years ago.
- PM-10. Fine particulate matter with an aerodynamic diameter equal to or less than 10 micrometer.
- Point source. Any confined and discrete conveyance (e.g., pipe, ditch, well, stack).
- **Practical quantitation limit (PQL).** Level at which the laboratory can report a value with reasonably low uncertainty (typically 10–20% uncertainty).
- Pretreatment. Any process used to reduce a pollutant load before it enters the sewer system.
- **Quality assurance (QA).** System of activities whose purpose is to provide the assurance that standards of quality are attained with a stated level of confidence.
- Quality control (QC). Procedures used to verify that prescribed standards of performance are attained.
- Quaternary. Geologic era encompassing the last 2 to 3 million years.
- **Rad.** Unit of absorbed dose and the quantity of energy imparted by ionizing radiation to a unit mass of matter such as tissue, and equal to 0.01 joule per kilogram, or 0.01 gray.
- **Radioactive decay.** Spontaneous transformation of one radionuclide into a different nuclide (which may or may not be radioactive), or de-excitation to a lower energy state of the nucleus by emission of nuclear radiation, primarily alpha or beta particles, or gamma rays (photons).
- **Radioactivity.** Spontaneous emission of nuclear radiation, generally alpha or beta particles, or gamma rays, from the nucleus of an unstable isotope.
- Radionuclide. Unstable nuclide. See also nuclide and radioactivity.
- **Reactive organic gases/precursor organic compounds (ROGs/POCs).** Classes of chemicals that are precursors to the production of ozone and the photochemical formation of smog.

- Regional Water Quality Control Board (RWQCB). California regional agency responsible for water quality standards and the enforcement of state water quality laws within its jurisdiction. California is divided into nine RWQCBs; the Livermore site is in the San Francisco Bay Region, and Site 300 is in the Central Valley Region.
- **Rem.** Unit of radiation dose equivalent and effective dose equivalent describing the effectiveness of a type of radiation to produce biological effects; coined from the phrase "roentgen equivalent man," and the product of the absorbed dose (rad), a quality factor (Q), a distribution factor, and other necessary modifying factors.

  1 rem = 0.01 sievert.
- **Resource Conservation and Recovery Act of 1976 (RCRA).** Program of federal laws and regulations that govern the management of hazardous wastes, and applicable to all entities that manage hazardous wastes.
- **Risk assessment.** Qualitative and quantitative evaluation of the risk posed to human health and/or the environment by the actual or potential presence and/or use of specific pollutants.
- **Roentgen (R).** Unit of measurement used to express radiation exposure in terms of the amount of ionization produced in a volume of air.
- San Francisco Bay Regional Water Quality Control Board (SFBRWQCB). Local agency responsible for regulating ground and surface water quality in the San Francisco Bay Area.
- San Joaquin County Environmental Health Department (SJCEHD). Local agency that enforces underground-tank regulations in San Joaquin County, including Site 300.
- San Joaquin Valley Air Pollution Control District (SJVAPCD). Local agency responsible for regulating stationary air emission sources (including Site 300) in San Joaquin County.
- **Sanitary waste.** Most simply, waste generated by routine operations that is not regulated as hazardous or radioactive by state or federal agencies.
- Saturated zone. Subsurface zone below which all rock pore-space is filled with water; also called the phreatic zone.
- **Sensitivity.** Capability of methodology or instrumentation to discriminate between samples having differing concentrations or containing varying amounts of analyte.
- **Sievert (Sv).** SI unit of radiation dose equivalent and effective dose equivalent, that is the product of the absorbed dose (gray), quality factor (Q), distribution factor, and other necessary modifying factors. 1 sievert = 100 rem.
- **Sigma** ( $\sigma$ ) denotes the standard deviation of a statistical distribution.
- Site-wide maximally exposed individual (SW-MEI). Hypothetical person who receives, at the location of a given publicly accessible facility (such as a church, school, business, or residence), the greatest LLNL-induced effective dose equivalent (summed over all pathways) from all sources of radionuclide releases to air at a site. Doses at this receptor location caused by each emission source are summed, and yield a larger value than for the location of any other similar public facility. This individual is assumed to continuously reside at this location 24 hours per day, 365 days per year.
- Specific conductance. Measure of the ability of a material to conduct electricity; also called conductivity.
- **Superfund.** Common name used for the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA). California has also established a "State Superfund" under provisions of the California Hazardous Waste Control Act.
- **Superfund Amendments and Reauthorization Act (SARA).** Enacted in 1986, these laws amended and reauthorized CERCLA for five years.
- **Surface impoundment.** A facility or part of a facility that is a natural topographic depression, man-made excavation, or diked area formed primarily of earthen materials, although it may be lined with man-made materials. The impoundment is designed to hold an accumulation of liquid wastes, or wastes containing free liquids, and is not an injection well.
- **Système International d'Unités (SI).** International system of physical units which include meter (length), kilogram (mass), kelvin (temperature), becquerel (radioactivity), gray (radioactive dose), and sievert (dose equivalent).
- **Thermoluminescent dosimeter (TLD).** Device used to measure external beta or gamma radiation levels, and which contains a material that, after exposure to beta or gamma radiation, emits light when processed and heated.
- **Total dissolved solids (TDS).** Portion of solid material in a waste stream that is dissolved and passed through a filter.

- **Total suspended solids (TSS).** Total mass of particulate matter per unit volume suspended in water and wastewater discharges that is large enough to be collected by a 0.45 micron filter.
- **Tritium.** Radioactive isotope of hydrogen, containing one proton and two neutrons in its nucleus, which decays at a half-life of 12.3 years by emitting a low-energy beta particle.
- **Transuranic waste (TRU).** Material contaminated with alpha-emitting transuranium nuclides, which have an atomic number greater than 92 (e.g., plutonium-239), half-lives longer than 20 years, and are present in concentrations greater than 100 nCi/g of waste.
- Universal waste. Hazardous waste that is widely produced by households and many different types of businesses. Universal waste includes televisions, computers and other electronic devices as well as batteries, fluorescent lamps, mercury thermostats, and other mercury-containing equipment. California's Universal Waste Rule allows individuals and businesses to transport, handle, and recycle universal waste in a manner that differs from the requirements for most hazardous wastes.
- **Unsaturated zone.** Portion of the subsurface in which the pores are only partially filled with water and the direction of water flow is vertical; is also referred to as the vadose zone.
- **U.S. Department of Energy (DOE).** Federal agency responsible for conducting energy research and regulating nuclear materials used for weapons production.
- **U.S. Environmental Protection Agency (EPA).** Federal agency responsible for enforcing federal environmental laws. Although some of this responsibility may be delegated to state and local regulatory agencies, EPA retains oversight authority to ensure protection of human health and the environment.
- Vadose zone. Partially saturated or unsaturated region above the water table that does not yield water to wells.
- **Volatile organic compound (VOC).** Liquid or solid organic compounds that have a high vapor pressure at normal pressures and temperatures and thus tend to spontaneously pass into the vapor state.
- **Waste accumulation area (WAA).** Officially designated area that meets current environmental standards and guidelines for temporary (less than 90 days) storage of hazardous waste before pickup by the Radioactive and Hazardous Waste Management Division for off-site disposal.
- **Wastewater treatment system.** Collection of treatment processes and facilities designed and built to reduce the amount of suspended solids, bacteria, oxygen-demanding materials, and chemical constituents in wastewater.
- **Water Resources Division:** The City of Livermore governmental organization dedicated to meeting Livermore's water, wastewater, and storm water utility needs.
- **Water table.** Water-level surface below the ground at which the unsaturated zone ends and the saturated zone begins, and the level to which a well that is screened in the unconfined aquifer would fill with water.
- **Weighting factor.** Tissue-specific value used to calculate dose equivalents which represents the fraction of the total health risk resulting from uniform, whole-body irradiation that could be contributed to that particular tissue.
- **Zone 7.** Common name for the Alameda County Flood Control and Water Conservation District, Zone 7, which is the water agency for the Livermore–Amador Valley with responsibility for regional flood control and drinking water supply.